THORN



WEATHERFORCE G2

Wide body moisture and dust-resistant LED luminaire



VARIO TECHNOLOGY

Switchable light colour enables choice of colour output during installation.

This feature drastically saves stock space and aids in fulfilling the customer requirements

THORN







WEATHERFORCE G2 ENGINEERED FOR HIGHER STANDARDS

The Weatherforce G2 will assist with improving difficult installations, challenging environments, tight time schedules. With its highly versatile and extremely durable concept, the new IP65 WeatherForce G2 is here to help deal with whatever comes your way.



WEATHERFORCE G2

Wide body moisture and dust-resistant LED luminaire






Tridonic DALI driver option

The range offers one4all drivers with DALI-2 DT 6, switchDIM and corridorFUNCTION.


Dimming range 1 to 100%.



Wide body batten (150 mm)

This wide body fitting is the perfect solution for every refurbishment project.






VARIO technology

Switchable light colour permits to choose the colour output during installation.

It drastically saves stock space and assists in fulfilling the Customer preference.





MicroWave Sensor option

With Corridor Function capability; after last detection, the light will be dimmed down to the stand-by dimming level after hold time and it will switch-off after the standby time.



Emergency Lighting option

2 hours autonomy with AS/NZS 2293 classification.



THORN

WEATHERFORCE G2

Wide body moisture and dust-resistant LED luminaire



A wide body, linear, water resistant LED luminaire, specifically designed for general outdoor applications.

DALI dimmable LED driver option with 2 hour emergency lighting option; in accordance with AS2293.3 Emergency Classification.

Available with:


- Microwave sensor and daylight hold-off and corridor functions.
- Class I electrical, IP65, Impact strength: IK08.
- Body: light grey injection moulded polycarbonate, supplied with tamper resistant screws.
- Diffuser: opal polycarbonate.
- Gear Tray: sheet steel, powder coated white.

WeatherForce G2 is able to be surface mounted or suspended. Complete with switchable light colour temperature 3000K -4000K - 5700K LED.

IP65 (IK08 ASMZS 2283.3	WT (KG)	ORDER NUMBER
Standard version		
WF G2 LED2500 830-57 L6 HF	1.63	96650051
WF G2 LED5500 830-57 L12 HF	2.9	96650052
WF G2 LED6500 830-57 L15 HF	4.4	96650053
DALI dimming version		
WF G2 LED2500 830-57 L6 HFI	1.73	96650054
WF G2 LED5500 830-57 L12 HFI	3.02	96650055
WF G2 LED6500 830-57 L15 HFI	4.5	96650056
Emergency Lighting version		
WF G2 LED2500 830-57 L6 HFI E2	1.93	96650057
WF G2 LED5500 830-57 L12 HFI E2	3.25	96650058
WF G2 LED6500 830-57 L15 HFI E2	4.7	96650059
MicroWave Sensor version		
WF G2 LED2500 830-57 L6 MWS-COR	1.85	96650060
WF G2 LED5500 830-57 L12 MWS-COR	3	96650061
WF G2 LED6500 830-57 L15 MWS-COR	4.5	96650062


830-57 = CRI>80 & CTT switchable light colour 3000K-4000K-5700K, HFI = DALI dimming, Corridor Function and SwitchDim, E2 = Emergency 2 hrs, MWS-COR = MicroWave Sensor with Corridor Function, L6 = 660mm, L12 = 1270mm, L15 = 1570mm

POLAR DIAGRAM



96650052 WF G2 LED5500 L12

DIMENSIONS





NSW-HEADQUARTERS

ZG Lighting Australia Pty Ltd 2/7 Millner Avenue Horsley Park, NSW 2175 T +61 1300 139 965 F +61 (0) 2 9625 1500 info.au@zumtobelgroup.com

NSW

Showroom & Light Forum ZG Lighting Australia Pty Ltd 306 Pacific Highway Crows Nest, NSW 2065

VIC

ZG Lighting Australia Pty Ltd 163 Epsom Road Flemington, VIC 3031

QLD

ZG Lighting Australia Pty Ltd Level 1, 349 Coronation Drive Milton, 4064 QLD

TAS

Watts Lighting U4/4 Higson Street Midway Point, TAS 7171

SA

LEDA Lighting Solutions 3 Prescott Court Hallett Cove, SA 5158

WA

SCOPE LIGHTING Pty Ltd 14 Christable Way Landsdale, WA 6065

Global Lighting Solutions Pty Ltd Cnr Mataram Street & Coonawarra Road Winnellie, NT 0820

AUCKLAND - HEADQUARTERS

ZG Lighting (NZ) Limited 27 Jomac Place. Avondale, Auckland 1026 New Zealand T 0800 800 834 T +64 (9) 828 7155 F +64 (9) 828 7591 info.nz@zumtobelgroup.com

WELLINGTON

ZG Lighting (NZ) Limited Level 2, 225 Thorndon Quay, Pipitea, Wellington 6011 New Zealand T 0800 800 834 T +64 04 815 8010 F +64 04 499 6058

CHRISTCHURCH

ZG Lighting (NZ) Limited Unit 7A, 303 Blenheim Rd Upper Riccarton, Christchurch 8041 New Zealand T 0800 800 834 T +64 03 366 2485 F +64 03 366 8905

