



IQ Beam

Brightly balanced recessed ceiling light

- **Design:** It's clear linear design and distinct light make IQ Beam is a real looker. And with its integrated features and clean exterior, it appears both classic and, at the same time, innovative.
- **Optic:** With up to 140 lm/W, UGR<19 and CRI>90 the MPT version is a performance luminaire for office and education applications. The MPT-F version features an additional micro diffusor foil for better comfort; ideal for corridors and other gathering areas.
- **Installation:** Combining intelligent design features with microprism optics lead to a brilliant enhancement for wide-ranging refurbishment projects and cuts an excellent figure in virtually any setting from offices to far-reaching secondary spaces.



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



92928077

Material/Finish

Diffuser: polycarbonate

Body: highly reflective white steel coffer

Installation/Mounting

Suitable for lay in, as well as for pull up, into concealed grid and plasterboard ceilings with our optional wedge accessory kits suitable.

Ordering Guide

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
IQ Beam				
IQ BEAM 3000-840 MPT HF Q600	LED		4,12	96634274
IQ BEAM 3800-840 MPT HF Q600	LED		4,12	96634275
IQ BEAM 4300-840 MPT HF Q600	LED		4,2	96634276
IQ BEAM 3000-840 MPT-F HF Q600	LED		4,14	96634277
IQ BEAM 3800-840 MPT-F HF Q600	LED		4,14	96634278
IQ BEAM 4300-840 MPT-F HF Q600	LED		4,22	96634279
IQ BEAM 3000-830 MPT HF Q600	LED		4,12	92928077
IQ BEAM 3000-840 MPT HF Q625	LED		4,62	96635085
IQ BEAM 3800-840 MPT HF Q625	LED		4,62	96635086

Ta = 0 to +40, IP20, IP20_IP30, IK03, SC1, CE, RCM, 650, Ta=-20°C_to_+40°C

IQ Beam

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
IQ BEAM 4300-840 MPT HF Q625	LED		4,7	96635087
IQ BEAM 3000-840 MPT-F HF Q625	LED		4,64	96635088
IQ BEAM 3800-840 MPT-F HF Q625	LED		4,64	96635089
IQ BEAM 4300-840 MPT-F HF Q625	LED		4,72	96635090
IQ BEAM 3000-830 MPT HF Q600 TBL3	LED		4,12	96635097
IQ BEAM 3000-830 MPT-F HF Q600 TBL3	LED		4,14	96635099
IQ BEAM 3800-830 MPT HF Q600 TBL3	LED		4,12	96635102
IQ BEAM 3800-830 MPT-F HF Q600 TBL3	LED		4,14	96635104
IQ BEAM 4300-830 MPT HF Q600 TBL3	LED		4,12	96635107
IQ BEAM 4300-830 MPT-F HF Q600 TBL3	LED		4,14	96635109
IQ BEAM 4300-940 MPT HF Q600	LED		4,2	96635261
IQ BEAM 3800-940 MPT HF Q600	LED		4,12	96635262
IQ BEAM 3800-840 OPC HF Q600	LED		4,12	96635325
IQ BEAM 3800-840 MC HF Q600	LED		4,12	96635326
IQ BEAM 3000-840 OPC HF Q600	LED		4,12	96635327
IQ BEAM 4300-840 OPC HF Q600	LED		4,2	96635329
IQ BEAM 3000-840 MC HF Q600	LED		4,12	96635330
IQ BEAM 4300-840 MC HF Q600	LED		4,2	96635332
IQ BEAM 4300-940 OPC HF Q600	LED		4,2	96635441
IQ BEAM 3000-840 OPC HF Q625	LED		4,17	96635550
IQ BEAM 3800-840 OPC HF Q625	LED		4,17	96635551
IQ BEAM 4300-840 OPC HF Q625	LED		4,25	96635552
IQ Beam, emergency				
IQ BEAM 3000-840 MPT HF E3 Q600	LED		4,44	92927325
IQ BEAM 3000-840 MPT HF E3D Q600	LED		4,44	92927328
IQ BEAM 3000-840 MPT-F HF E3 Q600	LED		4,46	92927331
IQ BEAM 3000-840 MPT-F HF E3D Q600	LED		4,5	92927333
IQ BEAM 3800-840 MPT HF E3 Q600	LED		4,44	92927336
IQ BEAM 4300-840 MPT HF E3 Q600	LED		4,52	92927342
IQ BEAM 4300-840 MPT HF E3D Q600	LED		4,5	92927345
IQ BEAM 4300-840 MPT-F HF E3 Q600	LED		4,54	92927348
IQ BEAM 4300-840 MPT-F HF E3D Q600	LED		4,5	92927350
IQ BEAM 3800-840 MPT HF E3D Q600	LED		4,44	92927355
IQ BEAM 3800-840 MPT-F HF E3 Q600	LED		4,46	92927358
IQ BEAM 3800-840 MPT-F HF E3D Q600	LED		4,5	92927360
IQ BEAM 3000-830 MPT HF E3 Q600	LED		4,4	92928079
IQ BEAM 3800-830 MPT HF E3 Q600	LED		4,4	92930332
IQ BEAM 3000-840 MC HF E3 Q600	LED		4,4	96635436
IQ BEAM 4300-840 MC HF E3D Q600	LED		4,5	96635437
IQ BEAM 3000-940 OPC HF E3D Q600	LED		4,4	96635442
IQ Beam, dimmable				
IQ BEAM 3000-840 MPT HFIX Q600	LED		4,16	92927326
IQ BEAM 3000-840 MPT-F HFIX Q600	LED		4,18	92927330
IQ BEAM 3800-840 MPT HFIX Q600	LED		4,16	92927335
IQ BEAM 4300-840 MPT HFIX Q600	LED		4,24	92927343
IQ BEAM 4300-840 MPT-F HFIX Q600	LED		4,26	92927347

IQ Beam

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
IQ BEAM 3800-840 MPT-F HFIX Q600	LED		4,18	92927357
IQ BEAM 3800-830 MPT HFIX Q600	LED		4,16	92928076
IQ BEAM 3800-830 MPT-F HFIX Q600	LED		4,18	92928078
IQ BEAM 3000-830 MPT HFIX Q600	LED		4,16	92928613
IQ BEAM 4300-830 MPT HFIX Q600	LED		4,24	92928615
IQ BEAM 3000-830 MPT HFIX Q600 TBL5	LED		4,16	96635098
IQ BEAM 3000-830 MPT-F HFIX Q600 TBL5	LED		4,18	96635100
IQ BEAM 3000-930 MPT-F HFIX Q600 TBL5	LED		4,18	96635101
IQ BEAM 3800-830 MPT HFIX Q600 TBL5	LED		4,16	96635103
IQ BEAM 3800-830 MPT-F HFIX Q600 TBL5	LED		4,18	96635105
IQ BEAM 3800-930 MPT-F HFIX Q600 TBL5	LED		4,18	96635106
IQ BEAM 4300-830 MPT HFIX Q600 TBL5	LED		4,24	96635108
IQ BEAM 4300-830 MPT-F HFIX Q600 TBL5	LED		4,26	96635110
IQ BEAM 4300-930 MPT-F HFIX Q600 TBL5	LED		4,26	96635111
IQ BEAM 3000-840 MC HFIX Q600	LED		4,2	96635438
IQ BEAM 3000-840 OPC HFIX Q600	LED		4,2	96635439
IQ BEAM 4300-940 OPC HFIX Q600	LED		4,2	96635443
IQ BEAM 3000-840 OPC HFIX Q625	LED		4,2	96635445
IQ BEAM 3800 840 OPC HFIX Q600	LED		4,2	96635514
IQ BEAM 3800-840 MC HFIX Q600	LED		4,2	96635515

IQ Beam, dimmable, emergency

IQ BEAM 3000-840 MPT HFIX E3 Q600	LED		4,48	92927327
IQ BEAM 3000-840 MPT HFIX E3D Q600	LED		4,5	92927329
IQ BEAM 3000-840 MPT-F HFIX E3 Q600	LED		4,5	92927332
IQ BEAM 3000-840 MPT-F HFIX E3D Q600	LED		4,5	92927334
IQ BEAM 3800-840 MPT HFIX E3 Q600	LED		4,48	92927337
IQ BEAM 4300-840 MPT HFIX E3 Q600	LED		4,56	92927344
IQ BEAM 4300-840 MPT HFIX E3D Q600	LED		4,6	92927346
IQ BEAM 4300-840 MPT-F HFIX E3 Q600	LED		4,58	92927349
IQ BEAM 4300-840 MPT-F HFIX E3D Q600	LED		4,6	92927351
IQ BEAM 3800-840 MPT HFIX E3D Q600	LED		4,48	92927356
IQ BEAM 3800-840 MPT-F HFIX E3 Q600	LED		4,5	92927359
IQ BEAM 3800-840 MPT-F HFIX E3D Q600	LED		4,5	92927361
IQ BEAM 3800-830 MPT HFIX E3 Q600	LED		4,48	92928732
IQ BEAM 3000-830 MPT HFIX E3 Q600	LED		4,48	92929360
IQ BEAM 4300-840 OPC HFIX E3D Q600	LED		4,6	96635440
IQ BEAM 3000-940 OPC HFIX E3D Q600	LED		4,48	96635444

IQ Beam, sensor

IQ BEAM 3800-840 MPT HFSX Q600	LED		4,2	92926488
IQ BEAM 3000-840 MPT SENS Q600	LED		4,2	92927382
IQ BEAM 3800-840 MPT SENS Q600	LED		4,2	92927383
IQ BEAM 4300-840 MPT SENS Q600	LED		4,3	92927384
IQ BEAM 3000-840 MPT-F SENS Q600	LED		4,2	92927385
IQ BEAM 3800-840 MPT-F SENS Q600	LED		4,2	92927386
IQ BEAM 4300-840 MPT-F SENS Q600	LED		4,3	92927387
IQ BEAM 3000-840 MPT HFSX Q600	LED		4,2	92927685

IQ Beam

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
IQ BEAM 3000-840 MPT-F HFSX Q600	LED		4,2	92927686
IQ BEAM 3800-840 MPT-F HFSX Q600	LED		4,2	92927687
IQ BEAM 4300-840 MPT-F HFSX Q600	LED		4,3	92927688
IQ BEAM 4300-840 MPT HFSX Q600	LED		4,3	92927689
IQ Beam, sensor, emergency				
IQ BEAM 3000-840 MPT-F SENS E3 Q600	LED		4,6	92926487
IQ BEAM 3000-840 MPT SENS E3 Q600	LED		4,5	92927635
IQ BEAM 3800-840 MPT-F SENS E3 Q600	LED		4,6	92927636
IQ BEAM 3800-840 MPT SENS E3 Q600	LED		4,5	92927637
IQ BEAM 4300-840 MPT SENS E3 Q600	LED		4,6	92927638
IQ BEAM 4300-840 MPT-F SENS E3 Q600	LED		4,6	92927639
IQ Beam, high temperature				
IQ BEAM HT 6300-840 MPT-F HF Q600	LED		4,22	96636076
IQ BEAM HT 6300-840 MPT-F HFIX Q600	LED		4,26	96636077
IQ BEAM HT 6300-840 MPT-F PIR SS Q600	LED		4,32	96636078
IQ BEAM HT 6300-840 MPT-F PIR Q600	LED		4,32	96636079
IQ Beam Accessories				
basicDIM ILD PROGRAMMER			0,031	28000257
REMOTECONTROL IR6			0,019	28000647
IQ BEAM EXTERNAL FIT WEDGE 1-SET			0,22	96634438
IQ BEAM INTERNAL FIT WEDGE 1-SET			0,22	96634439
BETA 3 IQ BEAM SURFACE MOUNT KIT Q600			1,9	96635031
BETA 3 IQ BEAM SURFACE MOUNT KIT Q625			2	96635033